



Yuasa Scheda Tecnica

Yuasa 722 - Batterie per veicoli storici

Prestazione

| | |
|----------------------------|-------|
| Tensione | 6V |
| Capacità (20 ore) | 218Ah |
| Corrente di spunto A (EN1) | 665A |

Dimensioni

| | |
|------------|-------|
| Lunghezza | 422mm |
| Profondità | 176mm |
| Altezza | 260mm |

Pesi e Misure

| | |
|----------------------|---------|
| Peso medio con acido | 35kg |
| Volume dell'acido | 7 Litri |



Caratteristiche del Monoblocco

| | |
|-------------------------------|---------------|
| Fissaggi alla base | N |
| Maniglie | ✓ |
| Applicazioni da semi trazione | ✓ |
| Tipo di coperchio | Tappi a vista |



Tecnologia

| | |
|---------------------------------|-------------|
| Tecnologia | Sb/Sb |
| Separatore | PE |
| Corrente di carica raccomandata | 12A |
| Performance Marking | W1-C1-V1-E1 |

Tipologia dei terminali

Schema di Collegamento

Fissaggio batteria



Scheda tecnica prodotta su E&OE



Yuasa Technical Data Sheet

Yuasa 722 - Classic Vehicle Batteries

Performance

| | |
|--------------------------|-------|
| Voltage | 6V |
| Capacity (20-hour) | 218Ah |
| Cold Cranking Amps (EN1) | 665A |

Dimensions

| | |
|--------|-------|
| Length | 422mm |
| Width | 176mm |
| Height | 260mm |



Weights & Measures

| | |
|-----------------------|----------|
| Mean Weight with Acid | 35kg |
| Acid Volume | 7 litres |


Container Features

| | |
|------------------------|-------------|
| Hold Down | N |
| Handles | ✓ |
| Semi-Traction Features | ✓ |
| Lid Type | Raised Plug |


Technology

| | |
|-------------------------|-------------|
| Technology | Sb/Sb |
| Separator | PE |
| Recommended Charge Rate | 12A |
| Performance Marking | W1-C1-V1-E1 |


Terminal Type



Cell Assembly Layout



Battery Hold-down



Data Sheet generated on 19/01/2022 - E&OE